





KOTHAR™



KOTHAR™

08 About

10 Valves

- 12 Pneumatic Open-Close
- 14 Pressure Regulators
- 16 Bypass Valves
- 22 Pneumatic Regulators
- 26 Unloaders
- 32 Check Valves

36 Foaming Devices

- 38 Turn & Clean
- 40 Foam & Rinse Injector EasyFoamer
- 42 Foam & Rinse EasyFoamer
- 44 Foam & Rinse Injector
- 46 EasyFoamers
- 48 Fixed Chemical Injectors
- 50 Adjustable Chemical Injectors
- 52 Air Injectors
- 54 Foam Lances
- 56 Dynamic Foam Lances

60 Flow Switches

- 62 Flow Switches

64 Car Wash Booms

- 66 Wave Booms
- 68 Flex Booms
- 70 Wave & Flex Booms
- 72 Sheet Booms Hose
- 74 Sheet Booms Pipe

76 Swivels

- 78 180° Chrome Plated Brass
- 82 180° Stainless Steel
- 94 90° Chrome Plated Brass
- 96 90° Stainless Steel

106 Quick Couplings

- 108 KT 3000 Plug
- 110 KT 3000 Coupler
- 112 TR Series TEMA Plug
- 114 TR Series TEMA Coupler

**Founded in 2002,
Kothar is a
company that
specializes
in designing,
engineering and
producing top
quality products
and components
for car wash and
high-pressure
cleaning
equipment.**

Kothar understands the demands in price, quality and product range in the industrial cleaning sector. Thanks to wide-ranging expertise in foreign markets, distribution and product stock, Kothar has the resources to provide high-quality and user-friendly products at a competitive price not found anywhere else.

Kothar's products are innovative and offer an exceptional flexibility in workflow. In addition, Kothar has the capability and know-how to develop customized products and systems in a quick and efficient manner. Kothar's team of experts is always readily available for any customer need.

Kothar TM has the expertise, tools, and manpower to take any idea from the design process - through manufacturing, testing and quality control - to the market and end-user. Strong relationships with factories and distributors give Kothar the ability to adapt to customer needs, as well as to cast a large selection of its own products.

Kothar's partner factories all offer a wide variety of production techniques and methods. These methods range on a vast production spectrum.

Kothar can design and produce everything from very simple to very complex alloy parts and components. All Kothar products are made with the most competitive cost and the highest possible quality standard in mind.

Kothar TM has strategically located its Design & Development department in Dalian, China. Product stock is, however, centrally located in the Netherlands for fast and easy distribution to all European and World markets. Moreover, close alliances have been established with factories based in Beijing, Dalian and Ningbo. As such, Kothar has a unique advantage in flexibility and customization to the benefit of the customer.

No client is too small or too big for Kothar. We are able to design, produce and engineer custom products and work systems for any company or professional in need of high-pressure industrial cleaning equipment. Kothar, in addition, provides all customers with advice and assisting services during the set-up of work systems to ensure the achievement of maximum results.

Valves

Valves - Pneumatic Open-Close Valves



Valves - Pneumatic Open-Close Valves

Product nr.	100 010 100
Pressure Range	200BAR
Inlet Port	1/4" F
Outlet Port	1/4" F
Max Temperature	90°C
Weight	1kg
Dimensions	50x45x100mm

Product nr.	100 010 200
Inlet Port	3/8" F
Outlet Port	3/8" F

Valves - Pressure Regulators



Valves - Pressure Regulators

Product nr.	100 070 034
Pressure Range	10-70BAR
Flow Range	0-35L/Min
Inlet Port	1/4" F
Outlet Port	3/8" F
Max Temperature	80°C
Weight	650g

Product nr.	100 070 044
Pressure Range	30-105BAR

Product nr.	100 070 054
Pressure Range	50-155BAR

Product nr.	100 070 064
Pressure Range	70-210BAR

Valves - Bypass Valves



Valves - Bypass Valves

Product nr.	100 070 055
Pressure Range	50-155BAR
Flow Range	0-35L/Min
Inlet Port	3/8" F
Outlet Port	3/8" F
Bypass Port	3/8" F
Max Temperature	80°C
Weight	450g

Valves - Bypass Valves



Valves - Bypass Valves

Product nr.	100 070 110
Pressure Range	40-150BAR
Flow Range	0-45L/Min
Inlet Port	3/8" F
Outlet Port	3/8" F
Bypass Port	1/2" F
Max Temperature	80°C
Weight	1.8kg

Product nr.	100 070 120
Flow Range	0-70L/Min
Inlet Port	1/2" F
Outlet Port	1/2" F
Bypass Port	3/4" F

Valves - Bypass Valves



Valves - Bypass Valves

Product nr. 100 070 140
Pressure Range 10-70BAR
Flow Range 0-140L/Min
Inlet Port 3/4" F
Outlet Port 3/4" F
Bypass Port 1" F
Max Temperature 80°C
Weight 3.7kg

Product nr. 100 070 240
Pressure Range 40-150BAR

Product nr. 100 070 340
Pressure Range 70-250BAR

Product nr. 100 070 150
Pressure Range 10-70BAR
Flow Range 0-260L/Min
Inlet Port 1" F
Outlet Port 1" F
Bypass Port 1 1/4" F
Max Temperature 80°C
Weight 4.3kg

Product nr. 100 070 250
Pressure Range 40-150BAR

Product nr. 100 070 350
Pressure Range 70-250BAR

Product nr. 100 070 160
Pressure Range 10-70BAR
Flow Range 0-390L/Min
Inlet Port 1 1/4" F
Outlet Port 1 1/4" F
Bypass Port 1 1/2" F
Max Temperature 80°C
Weight 4.4kg

Product nr. 100 070 260
Pressure Range 40-150BAR

Product nr. 100 070 360
Pressure Range 70-250BAR



Product nr.	100 070 511
Pressure Range	20-200BAR
Flow Range	0-45L/Min
Inlet Port	3/8" F
Outlet Port	3/8" F
Bypass Port	1/2" F
Max Temperature	80°C

Product nr.	100 070 521
Flow Range	0-70L/Min
Inlet Port	1/2" F
Outlet Port	1/2" F
Bypass Port	3/4" F



Product nr.	100 070 541
Pressure Range	20-200BAR
Flow Range	0-140L/Min
Inlet Port	3/4" F
Outlet Port	3/4" F
Bypass Port	1" F
Max Temperature	80°C
Weight	4.5kg

Product nr.	100 070 551
Flow Range	0-260L/Min
Inlet Port	1" F
Outlet Port	1" F
Bypass Port	1 1/4" F

Product nr.	100 070 561
Flow Range	0-390L/Min
Inlet Port	1 1/4" F
Outlet Port	1 1/4" F
Bypass Port	1 1/2" F



Product nr.	100 050 400
Pressure Range	0-150BAR
Flow Range	0-30L/Min
Inlet Port	3/8" F
Outlet Port	3/8" F
Bypass Port	3/8" F
Max Temperature	90°C
Weight	790g

Product nr.	100 050 410
Pressure Range	0-200BAR
Product nr.	100 050 420
Pressure Range	0-250BAR

Accessories	
Plastic knob	110 050 255

Valves - Unloaders



Valves - Unloaders

Product nr.	100 050 110
Pressure Range	0-150BAR
Flow Range	0-30L/Min
Inlet Port	3/8" F
Outlet Port	3/8" F
Bypass Port	3/8" F
Max Temperature	90°C
Weight	790g

Product nr.	100 050 111
Pressure Range	0-200BAR

Product nr.	100 050 112
Pressure Range	0-250BAR

Accessories	
Plastic knob	110 050 255

Valves - Unloaders



Valves - Unloaders

Product nr.	100 050 210
Pressure Range	0-150BAR
Flow Range	0-50L/Min
Inlet Port	1/2" F
Outlet Port	1/2" F
Bypass Port	1/2" F
Weight	1.2kg

Product nr.	100 050 212
Pressure Range	0-250BAR



Product nr.	100 032 704
Max Pressure	150BAR
Max Flow	18L/Min
Body Material	Stainless Steel
Internal Parts	PEEK Plunger
Inlet Port	12mm M
Outlet Port	1/4" M
Max Temperature	90°C
Weight	65g

Product nr.	100 032 705
Inlet Port	1/4" F
Outlet Port	1/4" M

Product nr.	100 032 706
Inlet Port	12mm F
Outlet Port	1/4" M

Product nr.	100 032 707
Inlet Port	12mm M
Outlet Port	12mm M

Product nr.	100 032 708
Inlet Port	12mm M
Outlet Port	12mm F

Product nr.	100 032 709
Inlet Port	12mm F
Outlet Port	12mm F

Valves - Check Valves



Valves - Check Valves

Product nr.	100 032 900
Max Pressure	250BAR
Body Material	Stainless Steel
Internal Parts	PEEK Plunger
Inlet Port	1/4" F
Outlet Port	1/4" F
Max Temperature	80°C
Weight	105g

Product nr.	100 032 910
Inlet Port	3/8" F
Outlet Port	3/8" F
Weight	140g

Product nr.	100 032 920
Inlet Port	1/2" F
Outlet Port	1/2" F
Weight	265g

Product nr.	100 032 930
Inlet Port	3/4" F
Outlet Port	3/4" F
Weight	530g

Product nr.	100 032 940
Inlet Port	1" F
Outlet Port	1" F
Weight	735g

Foaming Devices



Product nr.	200 042 820
Pressure Range	50-150BAR
Max Flow	50L/Min
Air Pressure Range	3-8BAR
Air Flow	30-50L/Min
Inlet Port	1/2" M
Outlet Port	1/2" M
Injector Size	1.2mm
Amount of Chemicals	2
Max Temperature	80°C
Weight	9kg

Product nr.	200 042 830
Pressure Range	20-150BAR
Injector Size	1.5mm
Amount of Chemicals	2

Product nr.	200 042 840
Pressure Range	20-50BAR
Injector Size	1.7mm
Amount of Chemicals	2

Product nr.	200 042 850
Pressure Range	50-150BAR
Injector Size	1.2mm
Amount of Chemicals	3

Product nr.	200 042 860
Pressure Range	20-150BAR
Injector Size	1.5mm
Amount of Chemicals	3

Product nr.	200 042 870
Pressure Range	20-50BAR
Injector Size	1.7mm
Amount of Chemicals	3



Product nr.	200 050 305
Pressure Range	50-150BAR
Inlet Port	1/2" F
Outlet Port	1/2" M
Max Temperature	90°C
Weight	6.4kg
Max Flow Injector	12L/Min
Nozzle Orifice Injector	1.5mm
EF Flow	4-15L/Min
EF Injector Orifice	1.5mm
EF Air Pressure Range	3-8BAR

Product nr.	200 050 400
Pressure Range	100-150BAR
Max Flow Injector	8L/Min
Nozzle Orifice Injector	1.2mm
EF Injector Orifice	1.2mm

Product nr.	200 050 515
Pressure Range	20-50BAR
Max Flow Injector	19L/Min
Nozzle Orifice Injector	1.7mm
EF Injector Orifice	1.7mm



Product nr.	200 040 700
Pressure Range	20-150BAR
Inlet Port	3/8" F
Outlet Port	1/2" M
Max Temperature	80°C
Weight	3kg
EF Flow	4-15L/Min
EF Injector Size	1.5mm
Air Pressure Range	3-8BAR

Product nr.	200 040 710
Pressure Range	20-150BAR
EF Injector Size	1.2mm

Product nr.	200 040 720
Pressure Range	20-50BAR
EF Injector Size	1.7mm



Product nr.	200 045 690
Max Pressure	200BAR
Inlet Port	3/8" M
Outlet Port	3/8" M
Max Temperature	90°C
Weight	2kg
Max Flow Injector	8L/Min
Nozzle Orifice Injector	1.2mm

Product nr.	200 045 700
Max Flow Injector	12L/Min
Nozzle Orifice Injector	1.5mm

Product nr.	200 045 710
Max Flow Injector	17L/Min
Nozzle Orifice Injector	1.6mm

Product nr.	200 045 720
Max Flow Injector	19L/Min
Nozzle Orifice Injector	1.7mm

Product nr.	200 045 730
Max Flow Injector	23L/Min
Nozzle Orifice Injector	1.9mm

Product nr.	200 045 740
Max Flow Injector	28L/Min
Nozzle Orifice Injector	2.1 mm

Product nr.	200 045 750
Max Flow Injector	31L/Min
Nozzle Orifice Injector	2.3mm

Product nr.	200 045 760
Max Flow Injector	35L/Min
Nozzle Orifice Injector	3.1 mm



Product nr.	200 032 700
Pressure Range	20-150BAR
Injector Size	1.5mm
Flow Range	4-15L/Min
Air Pressure Range	3-8BAR
Inlet Port	3/8" F
Outlet Port	1/2" M
Max Temperature	80°C
Weight	1.2kg

Product nr.	200 032 710
Pressure Range	20-150BAR
Injector Size	1.2mm

Product nr.	200 032 720
Pressure Range	20-50BAR
Injector Size	1.7mm



Product nr.	200 034 690
Max Flow	8L/Min
Nozzle Orifice	1.2mm
Max Pressure	200BAR
Inlet Port	3/8" M
Discharge Port	3/8" M
Barb Hose	1/4"
Max Temperature	90°C
Weight	240g

Product nr.	200 034 700
Max Flow	12L/Min
Nozzle Orifice	1.5mm

Product nr.	200 034 710
Max Flow	17L/Min
Nozzle Orifice	1.6mm

Product nr.	200 034 720
Max Flow	19L/Min
Nozzle Orifice	1.7mm

Product nr.	200 034 730
Max Flow	23L/Min
Nozzle Orifice	1.9mm

Product nr.	200 034 740
Max Flow	28L/Min
Nozzle Orifice	2.1 mm

Product nr.	200 034 750
Max Flow	31L/Min
Nozzle Orifice	2.3mm

Product nr.	200 034 760
Max Flow	35/L Min
Nozzle Orifice	3.1mm

Product nr.	200 034 765
Max Flow	35/L Min
Nozzle Orifice	3.1mm
Inlet Port	1/2" M
Discharge Port	1/2" M



Product nr.	200 034 570
Max Flow	8L/Min
Nozzle Orifice	1.2mm
Max Pressure	200BAR
Inlet Port	3/8" M
Discharge Port	3/8" M
Barb Hose	1/4"
Max Temperature	90°C
Weight	240g

Product nr.	200 034 580
Max Flow	12L/Min
Nozzle Orifice	1.5mm



Product nr.	200 052 190
Nozzle Orifice	1.2mm
Max Pressure	250BAR
Body Material	Stainless Steel
Inlet Port	1/4" F
Outlet Port	1/4" M
Max Temperature	150°C
Weight	65g

Product nr.	200 052 193
Nozzle Orifice	1.5mm



Product nr.	200 052 210
Max Flow	100L/Min
Inlet Port	3/8" M
Outlet Port	3/8"
Max Temperature	80°C
Length	200mm
Weight	600g

Product nr.	200 052 220
Inlet Port	1/2" M
Outlet Port	1/2"
Length	200mm

Product nr.	200 052 230
Inlet Port	1/4" M
Outlet Port	3/8"
Length	400mm



Product nr.	200 052 080
Max Flow	10L/Min
Orifice	1.8mm
Inlet Port	1/4" F
Outlet Port	1/4"
Max Temperature	80°C
Weight	800g

Product nr.	200 052 090
Max Flow	12L/Min
Orifice	2mm



Product nr.	200 052 120
Max Flow	10L/Min
Orifice	1.8mm
Inlet Port	1/4" M
Outlet Port	1/2"
Max Temperature	80°C
Weight	440g

Product nr.	200 052 130
Max Flow	12L/Min
Orifice	2.0mm

Product nr.	200 052 140
Max Flow	14L/Min
Orifice	2.2mm

Flow Switches



Product nr.	100 080 060
Max Flow	150L/Min
Max Pressure	150BAR
Inlet Port	3/4" F
Outlet Port	3/4" F
Max Temperature	90°C
Weight	1.5kg

Product nr.	100 080 070
Max Flow	35L/Min
Max Pressure	300BAR
Inlet Port	3/8" F
Outlet Port	3/8" F
Max Temperature	90°C
Weight	500g

Product nr.	100 080 075
Max Flow	70L/Min
Max Pressure	300BAR
Inlet Port	1/2" F
Outlet Port	1/2" F
Max Temperature	90°C
Weight	800g

Sensors	
Product nr.	275 013 111
Type	Three Wire PnP Sensor

Product nr.	275 013 131
Type	Two Wire Reed Sensor

Car Wash Booms

Car Wash Booms - Wave Booms



Car Wash Booms - Wave Booms

Product nr.	300 021 164
Length	1450mm
Material	Stainless Steel
Max Pressure	150BAR
Inlet Port	1/4" F
Outlet Port	1/4" M
Max Temperature	90°C
Model	Single

Product nr.	300 021 165
Length	1550mm

Product nr.	300 021 166
Length	1750mm

Wall Mount	
Product nr.	300 021 147

Car Wash Booms - Flex Booms



Car Wash Booms - Flex Booms

Product nr.	300 021 155
Length	1600/1750mm
Material	Stainless Steel
Max Pressure	150BAR
Inlet Port	1/4" F
Outlet Port	1/4" M
Max Temperature	90°C
Model	Double

Product nr.	300 021 156
Length	1750mm
Model	Single

Wall Mount	
Product nr.	300 021 147

Car Wash Booms - Wave & Flex Booms



Car Wash Booms - Wave & Flex Booms

Product nr.	300 021 167
Length	1550mm
Material	Stainless Steel
Max Pressure	150BAR
Inlet Port	1/4" F
Outlet Port	1/4" M
Max Temperature	90°C
Model	Single

Product nr.	300 021 168
Length	1750mm

Wall Mount	
Product nr.	300 021 147

Car Wash Booms - Sheet Booms Hose



Car Wash Booms - Sheet Booms Hose

Product nr.	300 021 140
Length	1600mm
Material	Stainless Steel
Max Pressure	150BAR
Inlet Port	1/4" F
Outlet Port	1/4" M
Max Temperature	90°C
Model	Single
Product nr.	300 021 142
Length	1750mm
Model	Single
Product nr.	300 021 144
Length	1600/1750mm
Model	Double
Product nr.	300 021 149
Length	2000mm
Model	Single
Product nr.	300 021 163H
Length	1600/1750/2000mm
Model	Triple
Wall Mount	
Product nr.	300 021 147

Car Wash Booms - Sheet Booms Pipe



Car Wash Booms - Sheet Booms Pipe

Product nr.	300 021 141
Length	1600mm
Material	Stainless Steel
Max Pressure	150BAR
Inlet Port	1/4" F
Outlet Port	1/4" M
Max Temperature	90°C
Model	Single
Product nr.	300 021 143
Length	1750mm
Model	Single
Product nr.	300 021 146
Length	1600/1750mm
Model	Double
Product nr.	300 021 148
Length	2000mm
Model	Single
Product nr.	300 021 163
Length	1650/1750/2000mm
Model	Triple
Wall Mount	
Product nr.	300 021 147

Swivels

Swivels - 180° Chrome Plated Brass



Swivels - 180° Chrome Plated Brass

Product nr.	300 180 131
Max Temperature	120°C
Max Pressure	300BAR
Max RPM	40RPM
Body Material	Chrome Plated Brass
Internal Part	Stainless Steel
Seal	O-ring
Bearing	1 Thrust 1 Rolling
Inlet	1/4" F
Outlet	1/4" M
Weight	140g

Product nr.	300 180 132
Inlet	3/8" F
Outlet	3/8" M

Product nr.	300 180 133
Inlet	1/4" F
Outlet	3/8" M

Product nr.	300 180 134
Inlet	3/8" F
Outlet	1/4" M

Product nr.	300 180 135
Inlet	1/4" F
Outlet	1/4" F

Product nr.	300 180 136
Inlet	3/8" F
Outlet	3/8" F

Product nr.	300 180 137
Inlet	1/4" F
Outlet	3/8" F

Product nr.	300 180 144
Inlet	1/4" F
Outlet	M14x1.5 M

Product nr.	300 180 145
Inlet	1/4" F
Outlet	M16x1.5 M

Product nr.	300 180 146
Inlet	1/4" F
Outlet	M18x1.5 M

Product nr.	300 180 147
Inlet	1/4" F
Outlet	M22x1.5 M

Swivels - 180° Chrome Plated Brass



Swivels - 180° Chrome Plated Brass

Product nr.	300 180 340
Max Temperature	120°C
Max Pressure	250BAR
Max RPM	2700RPM
Body Material	Chrome Plated Brass
Internal Part	Stainless Steel
Bearing	1 Thrust 3 Rolling
Inlet	3/8" F
Outlet	3/8" M
Flange	No
Weight	340g

Product nr.	300 180 341
Inlet	3/8" F
Outlet	3/8" F
Flange	Yes
Weight	440g

Swivels - 180° Stainless Steel



Swivels - 180° Stainless Steel

Product nr.	300 180 671
Max Temperature	120°C
Max Pressure	300BAR
Max RPM	40RPM
Body Material	Stainless Steel
Internal Part	Stainless Steel
Seal	O-ring
Bearing	1 Rolling 1 Sliding
Inlet	1/4" F
Outlet	1/4" M
Weight	100g

Product nr.	300 180 672
Inlet	3/8" F
Outlet	3/8" M

Swivels - 180° Stainless Steel



Swivels - 180° Stainless Steel

Product nr.	300 180 531
Max Temperature	120°C
Max Pressure	500BAR
Max RPM	150RPM
Body Material	Stainless Steel
Internal Part	Stainless Steel
Seal	O-ring
Bearing	1 Thrust 1 Rolling
Inlet	1/4" F
Outlet	1/4" M
Weight	140g

Product nr.	300 180 532
Inlet	3/8" F
Outlet	3/8" M

Product nr.	300 180 533
Inlet	1/4" F
Outlet	3/8" M

Product nr.	300 180 534
Inlet	3/8" F
Outlet	1/4" M

Product nr.	300 180 535
Inlet	1/4" F
Outlet	1/4" F

Product nr.	300 180 536
Inlet	3/8" F
Outlet	3/8" F

Swivels - 180° Stainless Steel



Swivels - 180° Stainless Steel

Product nr.	300 180 543
Max Temperature	120°C
Max Pressure	500BAR
Max RPM	150RPM
Body Material	Stainless Steel
Internal Part	Stainless Steel
Seal	O-ring
Bearing	2 Thrust 2 Rolling
Inlet	1/2" F
Outlet	1/2" M
Weight	360g

Product nr.	300 180 544
Max Temperature	120°C
Seal	O-ring
Bearing	2 Thrust 2 Rolling
Inlet	1/2" F
Outlet	1/2" F

Swivels - 180° Stainless Steel



Swivels - 180° Stainless Steel

Product nr.	300 180 682
Max Temperature	120°C
Max Pressure	250BAR
Max RPM	30RPM
Body Material	Stainless Steel
Internal Part	Stainless Steel
Seal	O-ring & Peek
Bearing	1 Thrust 1 Sliding
Inlet	3/8" F
Outlet	3/8" M
Weight	280g

Product nr.	300 180 683
Max Pressure	200BAR
Inlet	1/2" F
Outlet	1/2" M
Weight	360g

Product nr.	300 180 684
Max Pressure	80BAR
Inlet	3/4" F
Outlet	3/4" F
Weight	400g

Product nr.	300 180 685
Max Pressure	60BAR
Inlet	1" F
Outlet	1" F
Weight	800g

Swivels - 180° Stainless Steel



Swivels - 180° Stainless Steel

Product nr.	300 180 010
Max Temperature	120°C
Max Pressure	200BAR
Max RPM	40RPM
Body Material	Stainless Steel
Internal Part	Stainless Steel
Seal	O-ring
Inlet	1/2" F
Outlet	1/2" M
Weight	100g

Swivels - 180° Stainless Steel



Swivels - 180° Stainless Steel

Product nr.	300 180 501
Max Temperature	120°C
Max Pressure	250BAR
Max RPM	40RPM
Body Material	Stainless Steel
Internal Part	Stainless Steel
Seal	O-ring
Inlet	3/8" F
Outlet	3/8" M
Weight	60g

Swivels - 90° Chrome Plated Brass



Swivels - 90° Chrome Plated Brass

Product nr.	300 090 132
Max Temperature	90°C
Max Pressure	150BAR
Max RPM	40RPM
Body Material	Chrome Plated Brass
Internal Part	Stainless Steel
Snap ring	No
Seal	O-ring
Bearing	Sliding
Inlet	1/4" M
Outlet	1/4" F
Weight	320g

Product nr.	300 090 133
Snap ring	Yes
Inlet	3/8" M
Outlet	3/8" F

Product nr.	300 090 134
Snap ring	Yes
Inlet	3/8" M
Outlet	1/4" F

Product nr.	300 090 135
Snap ring	No
Inlet	1/4" M
Outlet	3/8" F

Product nr.	300 090 137
Snap ring	Yes
Inlet	1/4" M
Outlet	1/4" F

Swivels - 90° Stainless Steel



Swivels - 90° Stainless Steel

Product nr.	300 090 330
Max Temperature	120°C
Max Pressure	200BAR
Max RPM	40RPM
Body Material	Stainless Steel
Internal Part	Stainless Steel
Seal	O-ring
Bearing	Sliding
Inlet	1/4" M
Outlet	1/4" F
Weight	240g

Product nr.	300 090 331
Inlet	3/8" M
Outlet	3/8" F

Product nr.	300 090 332
Inlet	3/8" M
Outlet	1/4" F

Swivels - 90° Stainless Steel



Swivels - 90° Stainless Steel

Product nr.	300 090 344
Max Temperature	120°C
Max Pressure	350BAR
Max RPM	40RPM
Body Material	Stainless Steel
Internal Part	Stainless Steel
Seal	O-ring
Bearing	Sliding
Inlet	1/2" M
Outlet	1/2" F
Weight	420g

Product nr.	300 090 345
Inlet	3/8" M
Outlet	1/2" F

Product nr.	300 090 346
Inlet	1/2" M
Outlet	3/8" F

Product nr.	300 090 347
Inlet	3/8" M
Outlet	3/8" F

Swivels - 90° Stainless Steel



Swivels - 90° Stainless Steel

Product nr.	300 090 181
Max Temperature	120°C
Max Pressure	350BAR
Max RPM	40RPM
Body Material	Stainless Steel
Internal Part	Stainless Steel
Seal	O-ring
Bearing	1 Thrust 1 Rolling
Inlet	1/4" M
Outlet	1/4" F
Weight	285g

Swivels - 90° Stainless Steel



Swivels - 90° Stainless Steel

Product nr.	300 090 188
Max Temperature	120°C
Max Pressure	500BAR
Max RPM	150RPM
Body Material	Stainless Steel
Internal Part	Stainless Steel
Seal	O-ring
Bearing	2 Thrust 2 Rolling
Inlet	3/8" F
Outlet	3/8" M
Weight	540g

Product nr.	300 090 189
Inlet	3/8" F
Outlet	3/8" F
Weight	540g

Product nr.	300 090 190
Inlet	1/2" F
Outlet	1/2" M
Weight	546g

Swivels - 90° Stainless Steel



Swivels - 90° Stainless Steel

Product nr.	300 090 260
Max Temperature	90°C
Max Pressure	500BAR
Max RPM	150RPM
Body Material	Stainless Steel
Internal Part	Stainless Steel
Seal	O-ring
Bearing	Sliding
Inlet	50mm F
Outlet	1/4" F
Weight	1120g

Quick Couplings

Quick Couplings - KT 3000 Plug



Quick Couplings - KT 3000 Plug

Product nr.	200 070 721
Port	1/4" F
Body Material	Stainless Steel 304
Max Pressure	350BAR
Max Temperature	90°C
Weight	80g

Product nr.	200 070 722
Port	3/8" F
Body Material	Stainless Steel 304

Product nr.	200 070 723
Port	1/2" F
Body Material	Stainless Steel 304

Product nr.	200 070 821
Port	1/4" F
Body Material	Stainless Steel 316

Product nr.	200 070 822
Port	3/8" F
Body Material	Stainless Steel 316

Product nr.	200 070 823
Port	1/2" F
Body Material	Stainless Steel 316

Quick Couplings - KT 3000 Coupler



Quick Couplings - KT 3000 Coupler

Product nr.	200 070 700
Port	3/8" F
Body Material	Stainless Steel 304
Max Pressure	380BAR
Max Temperature	90°C
Weight	163g

Product nr.	200 070 705
Port	3/8" M
Body Material	Stainless Steel 304

Product nr.	200 070 710
Port	1/2" F
Body Material	Stainless Steel 304

Product nr.	200 070 715
Port	1/2" M
Body Material	Stainless Steel 304

Product nr.	200 070 800
Port	3/8" F
Body Material	Stainless Steel 316

Product nr.	200 070 805
Port	3/8" M
Body Material	Stainless Steel 316

Product nr.	200 070 810
Port	1/2" F
Body Material	Stainless Steel 316

Product nr.	200 070 815
Port	1/2" M
Body Material	Stainless Steel 316

Accessories	
Protective rubber cover	200 070 149

Quick Couplings - TR Series TEMA Plug



Quick Couplings - TR Series TEMA Plug

Product nr.	200 070 121	Product nr.	200 070 322
Port	1/4" F	Port	3/8" M
Body Material	Stainless Steel 304	Body Material	Stainless Steel 321
Max Pressure	200BAR		
Max Temperature	90°C		
Weight	88g		
Product nr.	200 070 122	Product nr.	200 070 323
Port	3/8" F	Port	1/2" M
Body Material	Stainless Steel 304	Body Material	Stainless Steel 321
Product nr.	200 070 123	Product nr.	200 070 422
Port	1/2" F	Port	3/8" F
Body Material	Stainless Steel 304	Body Material	Zinc Coated Steel
Product nr.	200 070 221	Product nr.	200 070 423
Port	1/4" F	Port	1/2" F
Body Material	Stainless Steel 316	Body Material	Zinc Coated Steel
Product nr.	200 070 222		
Port	1/4" M		
Body Material	Stainless Steel 316		
Product nr.	200 070 223		
Port	3/8" F		
Body Material	Stainless Steel 316		
Product nr.	200 070 224		
Port	3/8" M		
Body Material	Stainless Steel 316		
Product nr.	200 070 225		
Port	1/2" F		
Body Material	Stainless Steel 316		
Product nr.	200 070 226		
Port	1/2" M		
Body Material	Stainless Steel 316		
Product nr.	200 070 321		
Port	1/4" M		
Body Material	Stainless Steel 321		

Quick Couplings - TR Series TEMA Coupler



Quick Couplings - TR Series TEMA Coupler

Product nr.	200 070 100		
Port	3/8" F		
Body Material	Stainless Steel 304		
Max Pressure	380BAR		
Max Temperature	90°C		
Weight	163g		
Product nr.	200 070 110	Product nr.	200 070 410
Port	1/2" F	Port	1/2" F
Body Material	Stainless Steel 304	Body Material	Chrome Plated Brass
Max Pressure	380BAR	Max Pressure	380BAR
Max Temperature	90°C	Max Temperature	90°C
Product nr.	200 070 200		
Port	3/8" F		
Body Material	Stainless Steel 316		
Max Pressure	500BAR		
Max Temperature	120°C		
Product nr.	200 070 205		
Port	3/8" M		
Body Material	Stainless Steel 316		
Max Pressure	500BAR		
Max Temperature	120°C		
Product nr.	200 070 210		
Port	1/2" F		
Body Material	Stainless Steel 316		
Max Pressure	500BAR		
Max Temperature	90°C		
Product nr.	200 070 215		
Port	1/2" M		
Body Material	Stainless Steel 316		
Max Pressure	500BAR		
Max Temperature	90°C		
Product nr.	200 070 400		
Port	3/8" F		
Body Material	Chrome Plated Brass		
Max Pressure	380BAR		
Max Temperature	90°C		


**Kothar is
your reliable
partner under
pressure**

Notes

[illegible]

Notes

[illegible]



KOTHAR™